

EXPANDED METAL STAIR TREADS

SlipNOT® flattened expanded metal stair treads are a cost effective solution for renovating existing slippery stair treads. Generally used to retrofit bar grating treads, expanded metal treads allow air, light, and liquids to flow through while providing maximum traction.

PRODUCT INFORMATION

Thickness: 1/8"

Width: 10-12 inches (typical), or as specified

Lengths: up to 10'

Nosing depth: 1-1/4" – 2" (typical), or as specified

Bend degree: 82, 90, or to degree angle specified

Styles: L shaped or C shaped

SlipNOT® finishes: Mill, Painted, or Hot-Dipped Galvanized

Expanded metal stair treads are available in: Grade 1 (Fine), Grade 2 (Medium) and Grade 3 (Coarse - steel surface only)

Styles (additional styles available by special order)

3/4 #9 (1/8")	Steel & Stainless Steel (304)
3/4 .125 (1/8")	Aluminum

Installation method: Welded or fastened to existing structures or to framing supports

Advantages of Expanded Metal and Perforated Stair Treads

- ▶ Easily adaptable to site conditions
- ▶ Can retrofit over existing structures with minimum effort
- ▶ Allows for drainage, light, and air passage
- ▶ Flexes when walked on to prevent worker fatigue

